

L Number	Hits	Search Text	DB	Time stamp
1	275	714/6,25,31,48.ccls. and @pd>20040402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 09:30
2	283	707/201,202,203,204.ccls. and @pd>20040402	USPAT; US-PGPUB; EPO; JPO	2004/09/15 09:32
3	59	714/6,25,31,48.ccls. and @pd>20040402 and (exception trigger)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 10:24
4	56	707/201,202,203,204.ccls. and @pd>20040402 and (exception trigger)	USPAT; US-PGPUB; EPO; JPO	2004/09/15 09:30
6	2	714/28,28.ccls. and @pd>20040402 and (exception trigger)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 10:24
8	181	714/34,35.ccls. and (exception trigger)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 10:25
-	2	6094530.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 10:54
-	854	test\$3 same ((separate or remote or secondary) adj computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:07
-	89	714/\$3.ccls. and (test\$3 with ((separate or remote or secondary) adj computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:03
-	23	puente.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:05
-	51	714/\$.ccls. and ((test\$3 or run\$4 or execut\$3) with (secondary or inactive or another or other or remote) adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 11:45
-	44	714/\$.ccls. and ((test\$3 or run\$4 or execut\$3) with (secondary or remote) adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 12:23
-	0	714/\$.ccls. and (((test\$3 or run\$4 or execut\$3) adj commands) with (secondary or remote) adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 12:23
-	5	((test\$3 or run\$4 or execut\$3) adj commands) with (secondary or remote) adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 12:24
-	15	test\$3 same commands same ((secondary or remote) adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 12:37

-	59	714/\$.ccls. and (copy with (secondary or remote) adj (device or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 12:38
-	30	(error or fault or failure) same commands same ((secondary or remote) adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:26
-	194	714/28,29.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:26
-	13	714/28,29.ccls. and (second adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:28
-	110	714/28,29.ccls. and (command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:28
-	73	714/28,29.ccls. and (command same memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:26
-	30	714/\$.ccls. and test\$3 same (secondary adj (device or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:34
-	893	(control adj card) and configuration and memory and command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:35
-	5	(control adj card) and configuration and ((remote or secondary) adj memory) and command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:54
-	18	((("6425039") or ("6651163") or ("6625679") or ("6205580") or ("6006247") or ("5946095") or ("6085307") or ("6072618") or ("5909574"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 13:55
-	20	((("6425039") or ("6651163") or ("6625679") or ("6205580") or ("6006247") or ("5946095") or ("6085307") or ("6072618") or ("5909574") or ("20020073131"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:09
-	191	(first and second) adj (memory and command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:10
-	15	714/\$.ccls. and ((first and second) adj (memory and command))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:10
-	3246	714/6,25,31,48.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:26

-	1228	714/6,25,31,48.ccls. and command and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 09:29
-	3	714/\$.ccls. and (execut\$3 adj second adj command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:27
-	2	execut\$3 adj second adj command adj before adj first	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:27
-	255	714/6,25,31,48.ccls. and (error or fault or failure) same command same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:49
-	235	((test\$3 or check\$3) adj (command or instructions)) with (secondary or remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 15:03
-	349	714/6.ccls. and test\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 15:51
-	241	714/6.ccls. and (write adj command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 15:54
-	2	6016553.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 15:58
-	107	test\$3 adj (plurality adj (devices or computers or cards))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 16:07
-	49	redback.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 16:07
-	1	(exception or interrupt) same (second adj command) same (second adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 17:27
-	6378	714/\$.ccls. and (exception or interrupt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 17:27
-	0	(new adj command) same (test\$3 with ((secondary or remote) adj (device or site or location or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 17:34
-	15	((test\$3 adj command) with ((secondary or remote) adj (device or site or location or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 17:36

-	315	714/6.ccls. and (interrupt or exception)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 14:09
-	60	maintain\$3 adj consistent adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 12:41
-	14	(command or instructions) same (maintain\$3 adj consistent adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 14:04
-	1	exception same (maintain\$3 adj consistent adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:38
-	3	(error or fault or failure) same (maintain\$3 adj consistent adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 11:32
-	164	(error or fault or failure) same (consistent adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:20
-	124	(execut\$3 adj identical adj (commands or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:28
-	12	(exception or interrupt) same ((consistency or consistent) adj2 data) same (copy or duplicate or mirror)	USPAT; US-PGPUB; EPO; JPO	2004/03/23 08:10
-	471	((consistency or consistent) adj2 data) same (copy or duplicate or mirror)	USPAT; US-PGPUB; EPO; JPO	2004/03/23 08:36
-	614	707/201,202,203,204.ccls. and consistency	USPAT; US-PGPUB; EPO; JPO	2004/03/23 08:53
-	175	707/201,202,203,204.ccls. and (data adj consist\$5)	USPAT; US-PGPUB; EPO; JPO	2004/09/15 09:29
-	2	707/201,202,203,204.ccls. and (three adj phase adj commit)	USPAT; US-PGPUB; EPO; JPO	2004/03/23 08:56
-	15	three adj phase adj commit	USPAT; US-PGPUB; EPO; JPO	2004/03/23 08:56
-	33	714/6.ccls. and (execut\$3 adj commands)- and consist\$5	USPAT; US-PGPUB; EPO; JPO	2004/03/23 15:38
-	12	714/6.ccls. and (execut\$3 adj commands) and (consistence or consistency)	USPAT; US-PGPUB; EPO; JPO	2004/03/30 16:43
-	98	(exception or interruption) same ((test\$3 or debug\$4) adj (devices or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 13:12
-	63	(debug\$4) same (plurality adj (memory or DUT or devices or computer or modules))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 13:37

-	4	(exception or interrupt) same (debug\$4) same (plurality adj3 (memory or DUT or devices or computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 13:59
-	4	714/6.ccls. and (exception or interrupt) same (debug\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 13:58
-	221	714/\$.ccls. and (exception or interrupt) same (debug\$4) same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:01
-	8	(plurality adj2 memory) same (data adj consistency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:07
-	2692	714/\$.ccls. and global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:10
-	12	714/\$.ccls. and jewett.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:42
-	8473	((control or line) adj card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:47
-	76	(backup or redundant) adj ((control or line) adj card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:43
-	0	((control or line) adj card) same (data adj (consistency or consistent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:48
-	78	((control or line) adj card) same (consistency or consistent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:24
-	31	(plurality adj memory) same (memory adj under adj test)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:22
-	1	((data adj consistency) or (consistent adj data)) same (delete same write)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:54
-	2	((data adj consistency) or (consistent adj data)) same (write adj ahead)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:56
-	7	(unsuccessful with write) same (indicat\$3 adj (error or failure or fault))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:50

-	21	((unsuccessful or failure or fault) with command) same (indicat\$3 adj (error or failure or fault)) and consistency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:22
-	4	6611848.pn.		2004/03/30 17:55